

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 867 173 A3**

EUROPEAN PATENT APPLICATION

(12)

(88) Date of publication A3:
06.09.2000 Bulletin 2000/36

(51) Int Cl.7: **A61K 7/16, A61K 7/18**

(43) Date of publication A2:
30.09.1998 Bulletin 1998/40

(21) Application number: **98301427.5**

(22) Date of filing: **26.02.1998**

(84) Designated Contracting States:
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Glandorf, William Michael**
Mason, Ohio 45040 (US)

(30) Priority: **27.03.1997 US 829491**

(74) Representative: **Clemon, Nicholas Graham et al**
Patent Department,
Procter & Gamble Technical Centres Limited,
Rusham Park,
Whitehall Lane
Egham, Surrey TW20 9NW (GB)

(71) Applicant: **THE PROCTER & GAMBLE COMPANY**
Cincinnati, Ohio 45202 (US)

(54) Oral compositions containing polyoxyethylene

(57) The present invention relates a dentifrice formulation contained in physically separated compartments of a dispenser, comprising a first dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.5% of one or more aqueous carriers; and a second dentifrice composition. The present invention also relates to a dentifrice formulation contained in physically separated compartments of a

dispenser, comprising a first dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho; and a second dentifrice composition comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.9% of one or more aqueous carriers. The present invention also relates to a dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.9% of one or more aqueous carriers.

EP 0 867 173 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 30 1427

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	US 4 849 213 A (SCHAEFFLER, H.) 18 July 1989 (1989-07-18) * claim 1 *	1-3	A61K7/16 A61K7/18
A	US 5 085 853 A (WILLIAMS, D. ET AL.) 4 February 1992 (1992-02-04) * claim 1; example 1 *	1-3	
A	EP 0 076 563 A (BEECHAM INC.) 13 April 1983 (1983-04-13) * claim 1; example 1 *	1	
			TECHNICAL FIELDS SEARCHED (Int.Cl.8)
			A61K
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
BERLIN		11 July 2000	Beyss, E
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 (03.82) (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 30 1427

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

11-07-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4849213 A	18-07-1989	US 4528180 A	09-07-1985
		US 4687663 A	18-08-1987
		US 4983379 A	08-01-1991
		IN 166887 A	04-08-1990
		IN 166888 A	04-08-1990
		IN 166889 A	04-08-1990
		AU 580076 B	22-12-1988
		CA 1257545 A	18-07-1989
		DE 3587725 D	24-02-1994
		DE 3587725 T	28-04-1994
		EP 0202359 A	26-11-1986
US 5085853 A	04-02-1992	AT 116539 T	15-01-1995
		CA 2071311 A,C	25-12-1992
		DE 69201113 D	16-02-1995
		DE 69201113 T	11-05-1995
		EP 0520545 A	30-12-1992
		ES 2067292 T	16-03-1995
		JP 6287121 A	11-10-1994
		US 5186926 A	16-02-1993
EP 76563 A	13-04-1983	AT 30674 T	15-11-1987
		AU 556344 B	30-10-1986
		AU 8711682 A	14-04-1983
		BE 894619 A	06-04-1983
		CA 1183780 A	12-03-1985
		CH 648751 A	15-04-1985
		CY 1329 A	27-06-1986
		DE 3277610 D	17-12-1987
		DK 357682 A,B,	07-04-1983
		FI 822797 A,B,	07-04-1983
		FR 2513878 A	08-04-1983
		GB 2109230 A,B	02-06-1983
		HK 11089 A	10-02-1989
		IE 53961 B	26-04-1989
		IN 157400 A	22-03-1986
		IT 1208655 B	10-07-1989
		JP 1436485 C	25-04-1988
		JP 58067614 A	22-04-1983
		JP 62045203 B	25-09-1987
		KE 3611 A	27-03-1986
		KR 8801805 B	19-09-1988
		MX 161108 A	31-07-1990
		NO 822720 A,B,	07-04-1983
		NZ 201557 A	13-09-1985
		PH 23796 A	03-11-1989

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 30 1427

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

11-07-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 76563 A		ZA 8205840 A	29-06-1983

EPO FORM P0439

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 0 867 173 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
30.09.1998 Bulletin 1998/40

(51) Int Cl.⁶: **A61K 7/16, A61K 7/18**

(21) Application number: **98301427.5**

(22) Date of filing: **26.02.1998**

(84) Designated Contracting States:
**AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Glandorf, William Michael**
Mason, Ohion 45040 (US)

(30) Priority: **27.03.1997 US 829491**

(74) Representative: **Clemons, Nicholas Graham et al**
Procter & Gamble Technical Centres Ltd,
Patent Department,
Lovett House,
Lovett Road
Staines, Middlesex TW18 3AZ (GB)

(71) Applicant: **THE PROCTER & GAMBLE COMPANY**
Cincinnati, Ohio 45202 (US)

(54) Oral compositions containing polyoxyethylene

(57) The present invention relates a dentifrice formulation contained in physically separated compartments of a dispenser, comprising a first dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.5% of one or more aqueous carriers; and a second dentifrice composition. The present invention also relates to a dentifrice formulation contained in physically separated compartments of a

dispenser, comprising a first dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho; and a second dentifrice composition comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.9% of one or more aqueous carriers. The present invention also relates to a dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.9% of one or more aqueous carriers.

EP 0 867 173 A2

Description

BACKGROUND OF THE INVENTION

5 The present invention relates to high ionic strength dentifrice formulations which contain high molecular weight polyoxyethylene. The dentifrice formulation may contain two separate dentifrice compositions or a single dentifrice composition.

Polyoxyethylene may alternatively be called polyethylene glycol or poly(ethylene oxide). The use of polyoxyethylene in a dentifrice is known in the art. However, most polyoxyethylene or polyethylene glycols used in dentifrice for-
 10 mulations have a relative low molecular weight, generally from about 200 to about 700. The use of high molecular weight polyoxyethylene is found in U.S. Patent 2,991,229 issued July 4, 1961 where poly(ethylene oxide) is used as a replacement for the natural gums in toothpaste. U.S. Patent 4,383,987 issued May 17, 1983 discloses a foaming dentifrice comprising liquid humectant, xanthan gum, and a polyoxyethylene-polyoxypropylene block copolymer. Res-
 15 inous poly (ethylene oxide) is an optional ingredient. U.S. Patent 4,407,788 issued October 4, 1983 discloses the dentifrice in which siliceous polishing material flocculate in the presence of resinous poly(ethylene oxide) to provide desirable stain removal. Although these disclosures are known, the present inventor has discovered the polyoxyeth-
 ylene can be used without a polyoxyethylene-polyoxypropylene block copolymer to provide a high foaming dentifrice. Additionally, the polyoxyethylene containing dentifrice of the present invention can be formulated without silica. If the
 20 dentifrice is formulated with silica, flocculation of the silica around the polyoxyethylene is not thought to occur.

It is known that dentifrice formulations with high ionic strength have low foam volume and a poor quality of foam. The high ionic strength will occur in dentifrice compositions containing high salt levels. Commonly used salts include bicarbonate, carbonate, sodium chloride, the tartar control agents such as pyrophosphates and polyphosphates, among
 25 others. The present inventor has discovered that a dentifrice with a high ionic strength can be made with improved sensory attributes by the addition of polyoxyethylene. By adding polyoxyethylene to the dentifrice formulation with a high ionic strength, the dentifrice provides an increased foam volume, increased foam viscosity, and a smooth teeth
 feeling. In a dual phase dentifrice, the high molecular weight polyoxyethylene may be present in a dentifrice composition with high ionic strength or the polyoxyethylene may be present in a dentifrice composition which is dispensed side-by-
 side with the high ionic strength dentifrice.

It is an object of the present invention to provide stable dentifrice formulations having high ionic strength and
 30 improved sensory attributes. It is an object of the present invention to provide a dentifrice composition with a high ionic strength comprising a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000. This composition may be a single dentifrice composition or one composition of a dual phase product. It is also an object of the present invention to provide a first dentifrice composition having a high ionic strength and a second dentifrice composition comprising a
 polyoxyethylene having a molecular weight of from 200,000 to 7,000,000. It is also an object of the present invention
 35 to provide dentifrice formulations with antitartar activity through the use of tartar control agents.

These and other objects of the present invention will become readily apparent from the detailed description which follows.

All percentages and ratios used herein are by weight of the specific dentifrice composition and not of the overall
 40 dentifrice formulation that is delivered, unless otherwise specified. All measurements are made at 25° C, unless oth-
 erwise specified.

SUMMARY OF THE INVENTION

The present invention relates to a dentifrice formulation contained in physically separated compartments of a
 45 dispenser, comprising a first dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.5% of one or more aqueous carriers; and a second dentifrice composition. The present invention also relates
 to a dentifrice formulation contained in physically separated compartments of a dispenser, comprising a first dentifrice
 50 composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho; and a second dentifrice composition comprising from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.9% of one or more aqueous carriers. The present invention also relates to a dentifrice composition having
 an ionic strength of from 1,000 μ mho to 50,000 μ mho comprising from 0.1% to 8% of a polyoxyethylene having a
 molecular weight of from 200,000 to 7,000,000 and from 92% to 99.9% of one or more aqueous carriers.

DETAILED DESCRIPTION OF THE INVENTION

The dentifrice formulation of the present invention may be in the form of a toothpaste or dentifrice. The term "den-
 tifice formulation" as used herein means the total dentifrice that is delivered to the oral surfaces. The dentifrice for-

mulation may be a combination of the two or more dentifrice compositions or may be a single dentifrice composition. The dentifrice formulation is a product, which in the ordinary course of usage, is not intentionally swallowed for purposes of systemic administration of particular therapeutic agents, but is rather retained in the oral cavity for a time sufficient to contact substantially all of the dental surfaces and/or oral tissues for purposes of oral activity.

The term "dentifrice", as used herein, means paste, gel, or liquid formulations unless otherwise specified. The dentifrice composition may be in any desired form, such as deep striped, surface striped, multilayered, having the gel surrounding the paste, or any combination thereof. The dentifrice composition may be contained in a physically separated compartment of a dispenser and dispensed side-by-side or may be a single composition.

The term "dispenser", as used herein, means any pump, tube, or container suitable for dispensing dentifrice.

The term "aqueous carrier" as used herein means any safe and effective materials for use in the compositions of the present invention. Such materials include abrasive polishing materials, propylene glycol, acidic compounds, calcium peroxide, buffering agent, thickening materials, humectants, water, surfactants, titanium dioxide, flavor system, coolants, sweetening agents, xylitol, coloring agents, antimicrobial agents, and mixtures thereof.

The present compositions comprise essential components, as well as optional components. The essential and optional components of the compositions of the present invention are described in the following paragraphs.

Polyoxyethylene

The dentifrice formulation of the present invention will include a polyoxyethylene. The first and/or second dentifrice compositions may contain the polyoxyethylene. Polyoxyethylene is also commonly known as polyethylene glycol ("PEG") or polyethylene oxide. The polyoxyethylenes suitable for this invention will have a molecular weight of from 200,000 to 7,000,000. Preferably, the molecular weights will be from 600,000 to 2,000,000, and more preferably from 800,000 to 1,000,000. "Polyox" is the tradename for the high molecular weight polyoxyethylene produced by Union Carbide. The polyoxyethylene is present in an amount of from 0.1% to 8%, preferably from 0.2% to 5%, and more preferably from 0.3% to 2%, by weight of the dentifrice composition.

Ionic Strength

High ionic strength in dentifrice compositions will occur when the dentifrice contains ingredients having an ionic character. Commonly used ingredients with ionic character include materials such as salts and surfactants. Dentifrices with high salt levels and/or high surfactant levels will have a high ionic strength. Commonly used salts in dentifrices include bicarbonate, carbonate, sodium chloride, and tartar control agents such as pyrophosphates and polyphosphates, among others. Ionic strength of a dentifrice is measured by conductivity of the dilute slurry. The slurry is a 3:1 water to dentifrice slurry. High ionic strength is defined as a dentifrice having an ionic strength of from 1,000 μ mho to 50,000 μ mho. Preferably the dentifrice will have an ionic strength of from 5,000 μ mho to 40,000 μ mho and more preferably from 10,000 μ mho to 25,000 μ mho. The total salt level of dentifrices with high ionic strength is generally from 4% to 70%, preferably from 6% to 60%, and more preferably from 8% to 50%.

Alkali Metal Bicarbonate Salt

The first dentifrice composition of the present invention with a high ionic strength may include an alkali metal bicarbonate salt which contributes to the high salt level. Sodium bicarbonate, also known as baking soda, is the preferred alkali metal bicarbonate salt. The present composition may contain from 4% to 50%, preferably from 6% to 30%, more preferably from 8% to 20%, and most preferably from 8% to 18% of an alkali metal bicarbonate salt, by weight of the dentifrice composition.

Tartar Control Agents

The present invention may include a tartar control agent. The tartar control agent will likely contribute to the high ionic strength and high salt level. The tartar control agent is preferably present in the first dentifrice composition, but may be present in the first and/or second dentifrice compositions. The tartar control agent may be any materials known to be effective in reducing calcium phosphate mineral deposition related to calculus formation. The preferred tartar control agent is selected from a polyphosphate source, including a tripolyphosphate source, pyrophosphate salts, and mixtures thereof.

The pyrophosphate salts useful in the present compositions include the di and tetra alkali metal pyrophosphate salts, and mixtures thereof. Disodium dihydrogen pyrophosphate ($\text{Na}_2\text{H}_2\text{P}_2\text{O}_7$), tetrasodium pyrophosphate ($\text{Na}_4\text{P}_2\text{O}_7$), and tetrapotassium pyrophosphate ($\text{K}_4\text{P}_2\text{O}_7$) in their unhydrated as well as hydrated forms are the preferred species. In compositions of the present invention, the pyrophosphate salt may be present in one of three ways: pre-

dominately dissolved, predominately undissolved, or a mixture of dissolved and undissolved pyrophosphate.

Compositions comprising predominately dissolved pyrophosphate refer to compositions where at least one pyrophosphate ion source is in an amount sufficient to provide at least 1.0% free pyrophosphate ions. Compositions comprising pyrophosphate typically contain from 1% to 15%, preferably from 2% to 10%, and most preferably from 2% to 8% pyrophosphate salt, by weight of the composition. The pyrophosphate salts are described in U.S. Patent 4,515,772, issued May 7, 1985, and 4,885,155, issued December 5, 1989, both to Parran et al.

The present invention may include a polyphosphate source. A polyphosphate is generally understood to consist of three or more phosphate molecules arranged primarily in a linear configuration, although some cyclic derivatives may be present. The inorganic polyphosphate salts desired include sodium tripolyphosphate, tetrapolyphosphate, and hexametaphosphate, among others. Polyphosphates larger than tetrapolyphosphate usually occur as amorphous glassy materials. Preferred are polyphosphates manufactured by FMC Corporation which are commercially known as Sodaphos ($n=6$), Hexaphos ($n=13$), and Glass H ($n=21$). The polyphosphate source will typically comprise from 0.5% to 20%, preferably from 4% to 15%, more preferably from 6% to 10%, and most preferably from 7% to 9%, by weight of the dentifrice composition.

The phosphate sources are described in more detail in Kirk & Othmer, *Encyclopedia of Chemical Technology*, Fourth Edition, Volume 18, Wiley-Interscience Publishers (1996), pages 685-707. Optional agents to be used in place of or in combination with the polyphosphate or pyrophosphate salt include such materials known to be effective in reducing calcium phosphate mineral deposition related to calculus formation. Agents included are synthetic anionic polymers [including polyacrylates and copolymers of maleic anhydride or acid and methyl vinyl ether (e.g., Gantrez), as described, for example, in U.S. Patent 4,627,977, to Gaffar et al.; as well as, e.g., polyamino propoane sulfonic acid (AMPS)], zinc citrate trihydrate, diphosphonates (e.g., EHDP; AHP), polypeptides (such as polyaspartic and polyglutamic acids), and mixtures thereof.

Fluoride Ion Source

The first and/or second dentifrice compositions of the present invention may incorporate a soluble fluoride ion source capable of providing free fluoride ions. Preferred soluble fluoride ion sources include sodium fluoride, stannous fluoride, indium fluoride, and sodium monofluorophosphate. Sodium fluoride is the most preferred soluble fluoride ion source. Norris et al., U.S. Patent 2,946,725, issued July 26, 1960, and Widder et al., U.S. Patent 3,678,154 issued July 18, 1972, disclose such fluoride ion sources as well as others. The fluoride ion source should be capable of providing from 50 ppm to 3500 ppm, and preferably from 500 ppm to 3000 ppm of free fluoride ions.

Aqueous Carriers

In preparing the present compositions, it is desirable to add one or more aqueous carriers to the dentifrice compositions. Such materials are well known in the art and are readily chosen by one skilled in the art based on the physical and aesthetic properties desired for the compositions being prepared. Aqueous carriers typically comprise from 10% to 99%, preferably from 40% to 98%, and more preferably from 60% to 95%, by weight of the dentifrice composition.

Abrasive Polishing Materials

An abrasive polishing material may also be included in one or both of the dentifrice compositions. The abrasive polishing material contemplated for use in the compositions of the present invention can be any material which does not excessively abrade dentin. Typical abrasive polishing materials include silicas including gels and precipitates; aluminas; phosphates including orthophosphates, polymetaphosphates, and insoluble pyrophosphates; and mixtures thereof. Silica dental abrasives of various types are preferred because of their unique benefits of exceptional dental cleaning and polishing performance without unduly abrading tooth enamel or dentine. The silica abrasive polishing materials herein, as well as other abrasives, generally have an average particle size ranging between 0.1 to 30 microns, and preferably from 5 to 15 microns. The abrasive can be precipitated silica or silica gels such as the silica xerogels described in Pader et al., U.S. Patent 3,538,230, issued Mar. 2, 1970, and DiGiulio, U.S. Patent 3,862,307, issued Jan. 21, 1975. Preferred are the precipitated silica materials such as those marketed by the J. M. Huber Corporation under the trade name, "Zeodent", particularly the silica carrying the designation "Zeodent 119". The types of silica dental abrasives useful in the toothpastes of the present invention are described in more detail in Wason, U.S. Patent 4,340,583, issued July 29, 1982, and in Rice, U.S. Patent 5,589,160, issued December 31, 1996. Silica abrasives are also described in WO 96/34592 and WO 96/34593. The abrasive in the toothpaste compositions described herein is generally present at a level of from 6% to 70% by weight of the composition. Preferably, toothpastes contain from 10% to 50% of abrasive, by weight of the dentifrice composition.

Propylene Glycol

The first and/or second dentifrice compositions may also comprise propylene glycol. The propylene glycol is suitable for use on the skin and mucosal surfaces such as in the oral cavity. The first dentifrice composition may contain from 0.5% to 30%, preferably from 1% to 20%, and more preferably from 2% to 15% of propylene glycol, by weight of the dentifrice composition.

Acidic Compound

The second dentifrice composition of the present invention may incorporate an acidic compound. The acidic compound may be organic or inorganic. The acidic compound may be any material which will be a proton donor that is capable of neutralizing bicarbonate. Acidic compounds suitable for use include carboxylic acids, phosphoric acids, alpha-hydroxy acids, sulfonic acids, and mixture thereof. Specific acids include citric acid, malic acid, alginic acid, succinic acid, lactic acid, tartaric acid, glycolic acid, adipic acid, potassium bitartrate acid, acid sodium citrate, phosphoric acid, boric acid, and acid phosphate and pyrophosphate salts. A blend of acids are preferred. Citric acid and malic acid are preferred. Acid anhydrides and acid salts of the above acids may also be used. Suitable salts include mono or disodium salts of citric acid, mono sodium salts of malic acid, and mixtures thereof. The second dentifrice composition may contain from 0.5% to 20%, preferably from 1% to 15%, and more preferably from 4% to 12% of an acidic compound, by weight of the dentifrice composition.

Calcium Peroxide

The present invention may include calcium peroxide in the first and/or second dentifrice composition. The following amounts represent the amount of peroxide raw material, although the peroxide source may contain ingredients other than the peroxide raw material. The present composition may contain from 0.01% to 10%, preferably from 0.1% to 5%, more preferably from 0.2% to 3%, and most preferably from 0.3% to 0.8% of a peroxide source, by weight of the dentifrice composition.

Buffering Agent

The dentifrice compositions may each contain a buffering agent. Buffering agents, as used herein, refer to agents that can be used to adjust the pH of the compositions. The buffering agents suitable include alkali metal hydroxides, carbonates, sesquicarbonates, borates, silicates, phosphates, imidazole, and mixtures thereof. Specific buffering agents include monosodium phosphate, trisodium phosphate, sodium hydroxide, potassium hydroxide, alkali metal carbonate salts, sodium carbonate, imidazole, pyrophosphate salts, sodium acid pyrophosphate, sodium citrate, and sodium malate. Buffering agents are used at a level of from 0.1% to 30%, preferably from 1% to 10%, and more preferably from 1.5% to 3%, by weight of the dentifrice composition.

Additional Aqueous Carriers

The present invention compositions in the form of toothpastes, typically contain some thickening material or binders to provide a desirable consistency. Preferred thickening agents are carboxyvinyl polymers, carrageenan, hydroxyethyl cellulose, and water soluble salts of cellulose ethers such as sodium carboxymethylcellulose and sodium hydroxyethyl cellulose. Natural gums such as gum karaya, xanthan gum, gum arabic, and gum tragacanth can also be used. Colloidal magnesium aluminum silicate or finely divided silica can be used as part of the thickening agent to further improve texture. Thickening agents can be used in an amount from 0.1% to 15%, by weight of the dentifrice composition.

Another optional component of the compositions desired herein is a humectant. The humectant serves to keep toothpaste compositions from hardening upon exposure to air and certain humectants can also impart desirable sweetness of flavor to toothpaste compositions. Suitable humectants for use in the invention include glycerin, sorbitol, mineral oil, polyethylene glycol, and other edible polyhydric alcohols. The polyethylene glycol may have a molecular weight of from 200 to 7000. The humectant generally comprises from 0% to 70%, and preferably from 15% to 55%, by weight of the dentifrice composition.

Water employed in the preparation of commercially suitable dentifrice compositions should preferably be of low ion content and free of organic impurities. In the first or second dentifrice compositions, water will generally comprise from 5% to 70%, and preferably from 10% to 50%, by weight of the composition herein. Alternatively, the first dentifrice composition may comprise a lower level of water, generally from 5% to 20%, preferably from 7% to 14%, and more preferably from 7% to 12%, by weight of the dentifrice composition. The lower level of water is preferred in compositions comprising polyphosphates. The amounts of water include the free water which is added plus that which is introduced

with other materials, such as with sorbitol, silica, surfactant solutions, and/or color solutions.

The present compositions may also comprise surfactants, also commonly referred to as sudsing agents. The surfactants may contribute to the high ionic strength of a dentifrice. Suitable surfactants are those which are reasonably stable and foam throughout a wide pH range. The surfactant may be anionic, nonionic, amphoteric, zwitterionic, cationic, or mixtures thereof. Anionic surfactants useful herein include the water-soluble salts of alkyl sulfates having from 8 to 20 carbon atoms in the alkyl radical (e.g., sodium alkyl sulfate). Many suitable anionic surfactants are disclosed by Agricola et al., U.S. Patent 3,959,458, issued May 25, 1976. Nonionic surfactants which can be used in the compositions of the present invention can be broadly defined as compounds produced by the condensation of alkylene oxide groups (hydrophilic in nature) with an organic hydrophobic compound which may be aliphatic or alkylaromatic in nature. Examples of suitable nonionic surfactants include poloxamers (sold under trade name Pluronic), polyoxyethylene, polyoxyethylene sorbitan esters (sold under trade name Tweens), and mixtures of such materials. The amphoteric surfactants useful in the present invention can be broadly described as derivatives of aliphatic secondary and tertiary amines in which the aliphatic radical can be a straight chain or branched and wherein one of the aliphatic substituents contains from 8 to 18 carbon atoms and one contains an anionic water-solubilizing group, e.g., carboxylate, sulfonate, sulfate, phosphate, or phosphonate. Other suitable amphoteric surfactants are betaines, specifically cocamidopropyl betaine. Many suitable surfactants are disclosed by Gieske et al., U.S. Patent 4,051,234, issued September 27, 1977. The present composition typically comprises one or more surfactants each at a level of from 0.25% to 12%, preferably from 0.5% to 8%, and most preferably from 1% to 6%, by weight of the composition.

Titanium dioxide may also be added to the present composition. Titanium dioxide is a white powder which adds opacity to the compositions. Titanium dioxide generally comprises from 0.25% to 5%, by weight of the composition.

Coloring agents may also be added to the present composition. The coloring agent may be in the form of an aqueous solution, preferably 1% coloring agent in a solution of water. Color solutions generally comprise from 0.01% to 5%, by weight of the composition.

A flavor system can also be added to the compositions. Suitable flavoring components include oil of wintergreen, oil of peppermint, oil of spearmint, clove bud oil, menthol, anethole, methyl salicylate, eucalyptol, cassia, 1-menthyl acetate, sage, eugenol, parsley oil, oxanone, alpha-irisone, marjoram, lemon, orange, propenyl guaethol, cinnamon, vanillin, ethyl vanillin, heliotropine, 4-cis-heptenal, diacetyl, methyl-para-tert-butyl phenyl acetate, and mixtures thereof. A flavor system is generally used in the compositions at levels of from 0.001% to 5%, by weight of the composition.

Coolants may also be part of the flavor system or added separately to the composition. Preferred coolants in the present compositions are the paramenthan carboxamide agents such as N-ethyl-p-menthan-3-carboxamide (known commercially as "WS-3"), menthol, 3-1-menthoxypropane-1,2-diol ("TK-10"), menthone glycerol acetal ("MGA"), menthyl lactate, and mixtures thereof. A coolant is generally used in the compositions at levels of from 0.001% to 5%, by weight of the composition.

The present invention may also include xylitol. Xylitol is a sugar alcohol that is used as a sweetener and humectant. Xylitol may provide a therapeutic effect, such as an antibacterial or anticaries effect. The present compositions typically comprise xylitol at a level from 0.01% to 25%, preferably from 3% to 15%, more preferably from 5% to 12%, and most preferably from 9% to 11%, by weight of the total composition. Alternatively, if xylitol is used as a sweetener, it may be present at a lower level, such as from 0.005% to 5%, by weight of the dentifrice composition.

Sweetening agents can be added to the compositions. These include saccharin, dextrose, sucrose, lactose, maltose, levulose, aspartame, sodium cyclamate, D-tryptophan, dihydrochalcones, acesulfame, and mixtures thereof. Various coloring agents may also be incorporated in the present invention. Sweetening agents and coloring agents are generally used in toothpastes at levels of from 0.005% to 5%, by weight of the composition.

The present invention may also include other agents, such as antimicrobial agents. Included among such agents are water insoluble non-cationic antimicrobial agents and water soluble antimicrobials, such as quaternary ammonium salts and bis-biquanide salts, among others. Triclosan monophosphate is an additional water soluble antimicrobial agent. Other compounds are bis[4-(R-amino)-1-pyridinium] alkanes as disclosed in U.S. Patent 4,206,215, issued June 3, 1980, to Bailey. Stannous salts such as stannous pyrophosphate and stannous gluconate and other antimicrobials such as copper bisglycinate, copper glycinate, zinc citrate, and zinc lactate may also be included. Also useful are enzymes, including endoglycosidase, papain, dextranase, mutanase, and mixtures thereof. Such agents are disclosed in U.S. Patent 2,946,725, Jul. 26, 1960, to Norris et al. and in U.S. Patent 4,051,234, September 27, 1977 to Gieske et al. Specific antimicrobial agents include chlorhexidine, triclosan, triclosan monophosphate, and flavor oils such as thymol. Triclosan and other agents of this type are disclosed in Parran, Jr. et al., U.S. Patent 5,015,466, issued May 14, 1991, and U.S. Patent 4,894,220, Jan. 16, 1990 to Nabi et al. These agents may be present at levels of from 0.01% to 1.5%, by weight of the dentifrice composition.

The dentifrice formulation may contain a first and second dentifrice composition or only a single dentifrice composition. If there are two dentifrice compositions, the first and second dentifrice compositions will be physically separated in a dentifrice dispenser. The dentifrice compositions may be a paste, gel, or any configuration or combination thereof. It is preferred that the first dentifrice composition be a paste and the second dentifrice composition be a gel. The

dispenser may be a tube, pump, or any other container suitable for dispensing toothpaste. Dual compartment packages suitable for this purpose are described in U.S. Patent 4,528,180, issued July 9, 1985; U.S. Patent 4,687,663, issued August 18, 1987; and 4,849,213, issued July 18, 1989, all to Shaeffer. The dispenser will deliver approximately equal amounts of each dentifrice composition through an opening. The compositions may intermix once dispensed. Alternatively, the dentifrice formulation may be delivered from a kit containing two separate dispensers which are used to deliver two dentifrice compositions that are both used simultaneously.

Method of Treatment

Suitable methods of treatment herein comprise contacting the dental enamel surfaces in the mouth with the dentifrice compositions according to the present invention.

Examples & Method of Manufacturing

The following examples further describe and demonstrate embodiments within the scope of the present invention.

EXAMPLE I			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Carboxymethylcellulose	0.40	Color	0.30
Water	5.00	Water	32.08
Flavor	1.00	Flavor	1.00
Glycerin	36.00	Glycerin	44.14
Polyoxyethylene	0.50	Poloxamer 407	20.00
Propylene Glycol	9.00	Trisodium Phosphate	0.48
Sodium Alkyl Sulfate ^(a)	5.00	Sodium Saccharin	0.40
Silica	20.00	Coolant	0.60
Sodium Carbonate	1.90	Sodium Phosphate	0.52
Sodium Saccharin	0.40	Sodium Fluoride	.48
Sodium Bicarbonate	9.00		
Titanium Dioxide	1.00		
Xanthan Gum	0.20		
Glass H Polyphosphate	4.00		
Polyethylene Glycol	5.00		
Calcium Peroxide	1.00		
Coolant	0.60		

^(a) 27.9% solution

The first dentifrice composition is prepared as follows. Add the water and saccharin to a mixing vessel. Disperse the thickening agents, carboxymethyl cellulose and xanthan gum, in the glycerin. Add this mixture of dispersed thickening agents in glycerin to the mixing vessel and mix well. Add the flavor, coolant, polyoxyethylene, polyethylene glycol, propylene glycol, titanium dioxide, and sodium alkyl sulfate to the mixture and mix well. Next add the sodium carbonate and the silica. After mixing, add the sodium bicarbonate. Finally, add the polyphosphate and calcium peroxide. Continue stirring the mixture until homogeneous.

The second dentifrice composition is prepared as follows. Add the water, saccharin, fluoride, glycerin, and Poloxamer to the mixing vessel. Heat the solution to at least 70°C and mix until the Poloxamer melts. Allow the batch to cool and add the flavor, coolant, color, sodium phosphate, and trisodium phosphate. Mix until homogeneous.

EXAMPLE II			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Carboxymethylcellulose	0.40	Color	0.30

(continued)

EXAMPLE II			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Water	5.00	Water	26.52
Flavor	1.00	Flavor	1.00
Glycerin	33.40	Glycerin	9.00
Poloxamer 407	3.00	Sorbitol ^(c)	20.00
Propylene Glycol	8.50	Polyoxyethylene	1.00
Sodium Alkyl Sulfate ^(a)	4.00	Sodium Saccharin	0.35
Silica	20.50	Coolant	0.60
Sodium Carbonate	2.00	Mineral Oil	1.00
Sodium Saccharin	0.40	Sodium Fluoride	0.48
Sodium Bicarbonate	12.00	Citric Acid	10.00
Titanium Dioxide	1.00	Carboxymethylcellulose	0.50
Xanthan Gum	0.20	Xanthan Gum	0.25
Glass H Polyphosphate	4.00	Polyethylene Glycol	3.00
Polyethylene Glycol	3.00	Sodium Alkyl Sulfate ^(a)	6.00
Coolant	0.60	Silica	20.00
Polyoxyethylene	1.00		

^(a) 27.8% solution^(c) 70% solution

The first dentifrice composition is prepared as follows. Add the water and saccharin to a mixing vessel. Disperse the thickening agents, carboxymethyl cellulose and xanthan gum, in the glycerin. Add this mixture of dispersed thickening agents in glycerin to the mixing vessel and mix well. Add the flavor, coolant, Poloxamer, polyoxyethylene, polyethylene glycol, propylene glycol, titanium dioxide, and sodium alkyl sulfate to the mixture and mix well. Next add the sodium carbonate and the silica. After mixing, add the sodium bicarbonate. Finally, add the polyphosphate. Continue stirring the mixture until homogeneous.

The second dentifrice composition is prepared as follows. Add the water, saccharin, fluoride, sorbitol, mineral oil, polyethylene glycol, polyoxyethylene, color, and citric acid to the mixing vessel. Disperse the thickening agents, carboxymethyl cellulose and xanthan gum, in the glycerin. Add this mixture of dispersed thickening agents in glycerin to the mixing vessel and mix well. Add the flavor, coolant, and sodium alkyl sulfate. Finally, add the silica into the mixture and mix well. Continue stirring the mixture until homogeneous.

EXAMPLE III			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Carboxymethylcellulose	0.40	Color	0.30
Water	5.00	Water	48.00
Flavor	1.60	Flavor	1.60
Glycerin	32.40	Glycerin	39.00
Poloxamer 407	3.00	Carbopol	2.80
Propylene Glycol	8.00	Sodium Hydroxide ^(b)	1.00
Sodium Alkyl Sulfate ^(a)	4.00	Sodium Saccharin	0.40
Silica	19.00	Sodium Alkyl Sulfate ^(a)	2.00
Sodium Carbonate	2.00	Betaine	2.90
Sodium Saccharin	0.40	Polyoxyethylene	2.00
Sodium Bicarbonate	9.00		

^(a) 27.9% solution^(b) 50% solution

EP 0 867 173 A2

(continued)

EXAMPLE III			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Titanium Dioxide	1.00		
Xanthan Gum	0.20		
Glass H Polyphosphate	10.00		
Polyethylene Glycol	3.00		
Calcium Peroxide	1.00		

EXAMPLE IV			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Carboxymethylcellulose	0.45	Color	0.30
Water	5.00	Water	47.52
Flavor	0.90	Flavor	0.80
Glycerin	34.00	Glycerin	39.00
Poloxamer 407	3.00	Carbopol	2.60
Propylene Glycol	8.00	Sodium Hydroxide ^(b)	1.00
Sodium Alkyl Sulfate ^(a)	4.00	Sodium Saccharin	0.40
Silica	19.00	Sodium Alkyl Sulfate ^(a)	2.00
Sodium Carbonate	2.00	Betaine	2.90
Sodium Saccharin	0.40	Polyoxyethylene	3.00
Sodium Bicarbonate	9.00	Sodium Fluoride	0.48
Titanium Dioxide	1.00		
Xanthan Gum	0.25		
Glass H Polyphosphate	10.00		
Polyethylene Glycol	3.00		

^(a) 27.9% solution

^(b) 50% solution

EXAMPLE V			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Carboxymethylcellulose	0.40	Color	0.30
Water	5.00	Water	48.30
Flavor	1.60	Flavor	1.60
Glycerin	39.00	Glycerin	37.00
Poloxamer 407	3.00	Carbopol	2.50
Propylene Glycol	8.00	Sodium Hydroxide ^(b)	1.00
Sodium Alkyl Sulfate ^(a)	4.00	Sodium Saccharin	0.40
Silica	22.00	Sodium Alkyl Sulfate ^(a)	2.00
Sodium Carbonate	2.00	Betaine	2.90
Sodium Saccharin	0.40	Polyoxyethylene	4.00
Sodium Bicarbonate	9.00		

^(a) 27.9% solution

^(b) 50% solution

(continued)

EXAMPLE V			
First Dentifrice Composition		Second Dentifrice Composition	
Ingredient	Wt. %	Ingredient	Wt. %
Titanium Dioxide	1.00		
Xanthan Gum	0.20		
Polyethylene Glycol	3.00		
Calcium Peroxide	1.00		
Sodium Fluoride	0.40		

Examples III, IV, and V are prepared as follows. For the first dentifrice composition, add the water, saccharin, and fluoride to a mixing vessel. Disperse the thickening agents, carboxymethyl cellulose and xanthan gum, in the glycerin. Add this mixture of dispersed thickening agents in glycerin to the mixing vessel and mix well. Add the flavor, Poloxamer, polyoxyethylene, polyethylene glycol, propylene glycol, and titanium dioxide to the mixture and mix well. Next add the sodium carbonate and the silica. After mixing, add the sodium bicarbonate and sodium alkyl sulfate. Finally if required, add the polyphosphate and calcium peroxide. Continue stirring the mixture until homogeneous.

For the second dentifrice composition, add the water, saccharin, color, and fluoride (if required) to the mixing vessel. Heat to at least 40°C. Premix the Carbopol and polyoxyethylene in the glycerin. Add this premix to the mixing vessel and mix well. Premix the flavor and sodium alkyl sulfate until uniform in color and then add the betaine. Add this premix to the mixing vessel and mix well. Add the sodium hydroxide to the mixture and continue to mix until homogeneous.

EXAMPLE VI	
Ingredient	Weight %
Sorbitol ^(c)	40.04
Glycerin	7.00
Water	10.00
Polyoxyethylene	1.00
Sodium Fluoride	0.24
Sodium Saccharin	0.52
Sodium Carbonate	1.00
Sodium Bicarbonate	19.00
Carboxymethylcellulose	0.85
Titanium Dioxide	0.35
Silica	15.00
Sodium Alkyl Sulfate ^(a)	4.00
Flavor System	1.00

^(a) 27.9% solution^(c) 70% solution

EXAMPLE VII	
Ingredient	Weight %
Sorbitol ^(c)	13.00
Glycerin	7.46
Water	10.00
Polyoxyethylene	3.00
Sodium Fluoride	0.24
Sodium Saccharin	0.50
Sodium Bicarbonate	60.00
Carboxymethylcellulose	0.80

^(c) 70% solution

EP 0 867 173 A2

(continued)

EXAMPLE VII	
Ingredient	Weight %
Sodium Alkyl Sulfate ^(a)	4.00
Flavor System	1.00

^(a) 27.9% solution

Examples VI and VII are prepared as follows. Start by combining water, sorbitol, sodium fluoride, and saccharin. Disperse the thickening agents, carboxymethylcellulose, in the remaining humectant, glycerin, before adding to the mixture. Add the flavor system, polyoxyethylene, titanium dioxide (if required), and sodium alkyl sulfate. Next add the sodium carbonate and silica (if required), and bicarbonate. Continue mixing until homogeneous. Mill and/or deaerate the final product if desired for aesthetic preference.

EXAMPLE VIII	
Ingredient	Weight %
Sorbitol ^(c)	14.11
Glycerin	15.00
Water	19.72
Polyoxyethylene	2.00
Sodium Fluoride	0.24
Sodium Saccharin	0.53
Sodium Carbonate	1.25
Sodium Bicarbonate	18.00
Carboxymethylcellulose	0.80
Silica	15.00
Sodium Alkyl Sulfate ^(a)	4.00
Flavor System	1.00
Color	0.30
Polyethylene Glycol	3.00
Tetrasodium Pyrophosphate	5.05

^(a) 27.9% solution

^(c) 70% solution

EXAMPLE IX	
Ingredient	Weight %
Calcium Peroxide	1.00
Glycerin	34.13
Water	4.00
Polyoxyethylene	3.00
Sodium Fluoride	0.24
Sodium Saccharin	0.50
Sodium Carbonate	2.00
Sodium Bicarbonate	5.00
Carboxymethylcellulose	0.20
Xanthan Gum	0.35
Silica	23.00
Sodium Alkyl Sulfate ^(a)	6.00
Flavor System	1.00
Color	1.00

^(a) 27.9% solution

(continued)

EXAMPLE IX	
Ingredient	Weight %
Propylene Glycol	12.00
Tetrasodium Pyrophosphate	6.58

Examples VIII and IX are prepared as follows. Start by combining water and sorbitol, if required. Add sodium fluoride and saccharin. Next, disperse the carboxymethylcellulose and xanthan gum, if required, in the glycerin, before adding to the mixture. Add the polyethylene glycol or propylene glycol and polyoxyethylene. Next add the flavor system, color solution, and sodium alkyl sulfate. Add the sodium carbonate, silica, and sodium bicarbonate. Lastly, slowly add the tetrasodium pyrophosphate and calcium peroxide, if required. Continue mixing until homogeneous. Mill and/or deaerate the final product if desired for aesthetic preference.

Claims

1. A dentifrice formulation contained in physically separated compartments of a dispenser, comprising:
 - a) a first dentifrice composition having an ionic strength of from 1,000 μ mho to 50,000 μ mho comprising:
 - i) from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000; and
 - ii) from 92% to 99.5% of one or more aqueous carriers; and
 - b) a second dentifrice composition.
2. The dentifrice formulation according to Claim 1 wherein the ionic strength of first dentifrice composition is a result of the first dentifrice composition comprising from 4% to 70% of a salt.
3. The dentifrice formulation according to Claim 2 wherein the salt in the first dentifrice composition is sodium bicarbonate.
4. The dentifrice formulation according to Claim 3 wherein the polyoxyethylene is present in an amount of from 0.2% to 5% and the molecular weight of the polyoxyethylene is from 600,000 to 2,000,000.
5. The dentifrice formulation according to Claim 4 wherein the first and/or second dentifrice composition further comprises a soluble fluoride source capable of providing from 50 ppm to 3500 ppm of free fluoride ions.
6. The dentifrice formulation according to Claim 5 wherein the first and/or second dentifrice composition further comprises an effective amount of one or more tartar control agents selected from linear polyphosphates, pyrophosphate salts, sodium tripolyphosphate, and mixtures thereof.
7. The dentifrice formulation according to Claim 6 wherein the first and/or second dentifrice composition further comprises an effective amount of one or more antimicrobial agents selected from zinc salts, triclosan, chlorhexidine, cetyl pyridinium chloride, and mixtures thereof.
8. The dentifrice formulation according to Claim 7 wherein the second dentifrice composition comprises from 0.1% to 8% of a polyoxyethylene having a molecular weight of from 200,000 to 7,000,000 and from 92% to 99.9% of one or more aqueous carriers.
9. A dentifrice formulation contained in physically separated compartments of a dispenser comprising:
 - a) a first dentifrice composition having an ionic strength of from 1,000 to 50,000 μ mho comprising:
 - i) from 4% to 40% of sodium bicarbonate;
 - ii) from 0.1% to 8% of polyoxyethylene having a molecular weight of from 200,000 to 7,000,000;
 - iii) from 1% to 15% of a polyphosphate;

EP 0 867 173 A2

- iv) from 0.1% to 30% of an alkali metal carbonate salt;
- v) from 0.01% to 10% of calcium peroxide;
- vi) from 10% to 70% of an abrasive polishing material;
- vii) from 10% to 85% of one or more aqueous carriers;

wherein the first dentifrice composition has a total water content of from 5% to 20%; and
b) a second dentifrice composition comprising:

- i) a soluble fluoride source capable of providing from 50 to 3500 ppm of free fluoride ions;
- ii) from 10% to 70% of a silica abrasive polishing material; and
- iii) from 30% to 89% of one or more aqueous carriers.

10. A dentifrice formulation contained in physically separated compartments of a dispenser comprising:

a) a first dentifrice composition having an ionic strength of from 1,000 to 50,000 μ mho comprising:

- i) from 4% to 40% of sodium bicarbonate;
- ii) from 1% to 15% of a polyphosphate;
- iii) from 0.1% to 30% of an alkali metal carbonate salt;
- iv) from 0.01% to 10% of calcium peroxide;
- v) from 10% to 70% of an abrasive polishing material; and
- vi) from 10% to 85% of one or more aqueous carriers;

wherein the first dentifrice composition has a total water content of from 5% to 20%; and
b) a second dentifrice composition comprising:

- i) from 0.1% to 8% of polyoxyethylene having a molecular weight of from 200,000 to 7,000,000;
- ii) a soluble fluoride source capable of providing from 50 to 3500 ppm of free fluoride ions; and
- iii) from 92% to 99% of one or more aqueous carriers.